

# INDEX MAPS.

**T. 12 N. R. 7 E. 2<sup>nd</sup> Mer.**

	195		194		194		193		193		193
197	6	218	5	212	4	212	3	205	2	201	1
	<del>218</del>		<del>217</del>		<del>212</del>		<del>208</del>		<del>204</del>		<del>201</del>
196	7	217	8	211	9	208	10	204	11	200	12
	<del>217</del>		<del>216</del>		<del>211</del>		<del>207</del>		<del>204</del>		<del>200</del>
196	18	216	17	211	16	207	15	203	14	200	13
	<del>215</del>		<del>215</del>		<del>210</del>		<del>207</del>		<del>203</del>		<del>199</del>
196	19	215	20	210	21	206	22	203	23	199	24
	<del>214</del>		<del>214</del>		<del>209</del>		<del>206</del>		<del>202</del>		<del>199</del>
195	30	214	29	209	28	206	27	202	26	198	25
	<del>213</del>		<del>213</del>		<del>209</del>		<del>205</del>		<del>202</del>		<del>198</del>
195	31	213	32	208	33	205	34	201	35	198	36
	190		190		190		189		189		189

**T. 13 N. R. 7 E. 2<sup>nd</sup> Mer.**

	227		226		226		226		225		225
228	6	250	5	244	4	240	3	236	2	232	1
	<del>249</del>		<del>249</del>		<del>244</del>		<del>240</del>		<del>236</del>		<del>232</del>
228	7	249	8	243	9	239	10	235	11	232	12
	<del>248</del>		<del>248</del>		<del>243</del>		<del>239</del>		<del>235</del>		<del>231</del>
228	18	247	17	243	16	239	15	235	14	231	13
	<del>247</del>		<del>247</del>		<del>242</del>		<del>238</del>		<del>234</del>		<del>230</del>
227	19	246	20	242	21	238	22	234	23	230	24
	<del>245</del>		<del>246</del>		<del>242</del>		<del>238</del>		<del>234</del>		<del>230</del>
227	30	245	29	241	28	237	27	233	26	230	25
	<del>245</del>		<del>245</del>		<del>241</del>		<del>237</del>		<del>233</del>		<del>229</del>
227	31	244	32	240	33	236	34	233	35	229	36
	<del>242</del>		<del>242</del>		<del>242</del>		<del>231</del>		<del>229</del>		<del>225</del>

[ ] The figures on the lines refer to the page.

Township N. 13 North, Range N. 7 East 2.<sup>nd</sup> Mer. Ind.<sup>a</sup> 221

ch. 1/2

South Boundary. var. 6.45 E.

Nest On S. boundary of Sec. 36

20.00 an Ash 18 in. dia.

40.00 Set of Sec. post, from which

a W. Beech 6 in. dia. bears N 30 W 5 lbs. dist. 4

attichory 6 " " " S 12 E 18 " "

46.80 a Sugar 21 " "

61.08 a Branch 8 lbs. wide Course N.W.

80.00 Set post Cor. to Sec. 35 & 36, from which

a Beech 12 in. dia. bears S 42 E 27 lbs. dist. 4

an Ash 26 " " " N 10 W 10 " "

Level Land timber Beech Ash Sugar &c. undergrowth  
Spice prairie & good for farming.

---

Nest On S. boundary of Sec. 35

11.08 an Ash 18 in. dia.

40.00 Set of Sec. post, from which

a Beech 27 in. dia. bears S 85 E 25 lbs. dist. 4

a No. 15 " " " N 83 W 17 " "

55.38 an Ash 20 " "

72.50 a Branch 8 lbs. wide Course S.W.

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 8 in. dia. bears S 35 E 6 lbs. dist. 4

a No. 9 " " " N 12 W 14 " "

level land timber Beech Ash Poplar &c. undergrowth  
Spice. Soil good.

---

Nest On S. boundary of Sec. 34

19.30 an Ash 24 in. dia.

40.00 Set of Sec. post, from which

a Swamp Ash 6 in. dia. bears S 22 E 30 lbs. dist. 4

an Ash 18 " " " N 45 W 14 " "

49.55 a Beech 12 " "

80.00 Set post Cor. to Sec. 33 & 34, from which

a Lym 24 in. dia. bears N 35 E 22 lbs. dist. 4

a Beech 12 " " " S 35 W 9 " "

222

# N 31 E 2<sup>d</sup> Mer. Indiana

ch. P. 167

Level Land timber Beech Ash Sugar Lynum &c.  
undergrowth Spice &c. Soil good

West On S. boundary of Sec. 33.  
27.00 a Creek 60 lks. wide Course S. W.  
30.08 a Sycamore 20 in. dia.  
40.00 Set of. Sec. post. from which  
an Elm 10 in. dia. bears N 72 E 27 lks. dist. &  
a Sycamore 27 " " " S 60 W 31 " "  
40.30 Same Creek Course N. W.  
50.75 Same " " S. W.  
61.90 Same " " N. W.  
71.00 Same " " S. W.  
80.00 Set post Cor. to Sec. 32 & 33, from which  
a Beech 18 in. dia. bears S 86 E 23 lks. dist. &  
a No. 14 " " " S 72 W 24 " "  
Land level - Bottom Subject to overflow timber  
Beech Sycamore Elm &c. underg<sup>th</sup> Spice rich Soil.

West On S. boundary of Sec. 32.  
19.00 Same Creek course N. W.  
40.00 Set of. Sec. post. from which  
a Beech 12 in. dia. bears N 70 E 11 lks. dist. &  
a Mulberry 15 " " " S 53 W 21 " "  
47.05 Hackberry 12 " " " "  
80.00 Set post Cor. to Sec. 31 & 32. from which  
a Buckeye 18 in. dia. bears S 82 E 15 lks. dist. &  
Hackberry 15 " " " N 59 W 10 " "  
first half overflowed 2<sup>d</sup> rate last half 1<sup>st</sup> rate Land  
timber Beech Hackberry Buckeye &c. undergrowth  
Spice pawpaw &c.

West On S. boundary of Sec. 31.  
40.00 Set of. Sec. post. from which  
a Blue Ash 12 in. dia. bears S 75 E 8 lks. dist. &  
an Elm 15 " " " N 20 W 32 " "

# 223

## M. N. R. E. D. Mer. Indiana

ch.

61.20 Driftwood river 1.75 lks. wide Course S. W.

78.12 To Town Corner.

### East Boundary var. 7° 30' E

North On E. boundary of Sec. 36

19.60 a Hickory 12 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 8 in. dia. bears S 6 W 19 lks. dist. &  
a Beech 27 " " " N 4 E 45 " "

49.00 a Red Oak 40 " "

80.00 Set post cor. to Sect. 25 & 36, from which  
a Beech 9 in. dia. bears S 31 W 22 lks. dist. &

a No. 14 " " " N 18 E 18 " "

Level land timber Beech Ash Elm Oak. undergrowth  
Spice Soil good.

North On E. boundary of Sec. 25

12.40 a Beech 24 in. dia.

17.20 a Branch 6 lks. wide Course S. W.

40.00 Set of Sec. post, from which  
a Hickory 15 in. dia. bears N 31 E 4 lks. dist. &  
a No. 27 " " " N 73 W 25 " "

48.80 a Beech 15 " "

74.82 a branch 6 lks. wide Course S. W.

80.00 Set post cor. to Sect. 24 & 25, from which  
a Beech 15 in. dia. bears S 19 W 12 lks. dist. &

a Sugar 9 " " " N 13 E 18 " "

Level land timber Beech Ash Poplar Sugar &c  
undergrowth Spice Briers &c. good Soil.

North On E. boundary of Sec. 24.

7.20 a Red Oak 40 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 27 in. dia. bears North 15 lks. dist. &  
a Beech 9 " " " N 18 W 29 " "

71.5 a No. 5 " "



# N 3<sup>d</sup> N 7<sup>d</sup> E. 2<sup>d</sup> Mer. Indiana

ch. P. 1<sup>st</sup>

80.00 Set post Cor. to Sec. 13 & 24, from which  
An Ash 15 in. dia. bran N 67 E - 1<sup>st</sup> dist. of  
a Beech 12 " " " N 10 E 10 " "  
Level land timber Beech Ash Elm Sugar &c.  
undergrowth Spice Brichley Ash Soil good.

North On E. boundary of Sec 13.

18.40 a W. Oak 36 in. dia.

40.00 Set of Sec. post, from which  
a Beech 30 in. dia. bran N 40 W 8<sup>th</sup> dist. of  
a Do. 5 " " " N 77 E 22 " "

47.33 a Poplar 24 in. dia.

51.30 a Beech 27 " "

79.90 a Creek 60<sup>th</sup> wide Course W.

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Sycamore 9 in. dia. bran N 26 W 27<sup>th</sup> dist. of  
a Boxelder 9 " " " N 12 E 5 " "  
Level land timber Beech, Ash, Sycamore  
underg<sup>th</sup>. Spice &c. Soil good

North On E. boundary of Sec. 12

37.50 a Branch 6<sup>th</sup> wide Course N. E.

39.00 a Do 6 " " " N. W.

40.00 Set of Sec. post, from which  
a Beech 18 in. dia. bran N 15 W 35<sup>th</sup> dist. of  
a Sycamore 12 " " " N 14 E 16 " "

41.90 a Brook 6<sup>th</sup> wide Course N. E.

43.80 Same 6 " " " S. E.

55.25 Same 6 " " " N. E.

56.60 Same 6 " " " S. E.

72.60 a Beech 21 in. dia.

80.00 Set post Cor. to Sec. 11 & 12, from which  
a Beech 12 in. dia. bran S 50 W 12<sup>th</sup> dist. of  
a Sugar 24 " " " N 50 E 31<sup>th</sup> "  
Land rolling timber Beech, Ash, Sugar &c.  
underg<sup>th</sup>. Spice, Greenbrier &c. Soil good

# T<sup>3</sup> N 7 E 2<sup>d</sup> Mer. Indiana 225

ch. l. m.

North On E. boundary of Sec. 1

10.85 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 19 in. dia. bray N 37 W 1 lb. dist. of  
an Ash 24 " " " S 32 E 7 " "

67.00 Set post Cor. to Township 13 & 14 N. Ranges  
7 & 8 East, from which

an Aspen 15 in. dia. bray N 28 E 25 lb. dist. of

a W. Oak 12 " " " S 2 W 22 " "

Level land timber Beech, Ash &c. underg<sup>th</sup>.

Spice, Soil good. July 21<sup>st</sup> 1819

North Boundary.

var. 6° 25' E.

West On S. boundary of Sec. 36, T<sup>4</sup> N 7 E.

15.30 a W. Oak 12 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. bray N 51 W 20 lb. dist. of

a Poplar 9 " " " S 34 E 27 " "

48.90 a Quaking Asp 15 in. dia. (Aspen)

80.00 Set post Cor. to Sec. 35 & 36, T<sup>4</sup> N 7 E, from which

a Sycamore 8 in. dia. bray S 86 E 6 lb. dist. of

a Hickory 7 " " " N 17 W 2 " "

Land level, timber Aspen, Sycamore &c.

underg<sup>th</sup> Spice, prickly Ash, &c. Soil good

West On S. boundary of Sec. 35, T<sup>4</sup> N 7 E.

23.20 an Elm 15 in. dia.

40.00 Set gr. Sec. post, from which

an Ash 6 in. dia. bray S 30 E 10 lb. dist. of

a Hickory 5 " " " N 19 W 8 " "

58.50 a W. Oak 15 " "

80.00 Set post Cor. to Sec. 34 & 35, T<sup>4</sup> N 7 E, from which

a W. Oak 10 in. dia. bray N 3 E 52 lb. dist. of

an Aspen 20 " " " S 5 E 18 " "

Level land, timber Aspen, Sycamore, Ash &c.

underg<sup>th</sup> Spice, prickly Ash &c. Soil good

## T3N R7E. T. Mer. Indiana

ch. l. by.

Met On S. boundary of Sec. 34, T4N. R7E.

9.30 a Beech 18 in. diam.

40.00 Set q. Sec. post, from which  
a Ash 18 in. diam. bay N52 E 19 l. dist. of  
a Beech 18 " " " S67 W 7 " "

49.50 an Elm 12 " "

80.00 Set post Cor. to Sec. 33 & 34, T4N. R7E, from which  
a Beech 27 in. diam. bay N48 W 31 l. dist. of  
a Do. 14 " " " N31 E " "  
Level land, timber Beech, Ash, Elm, &c.  
underg<sup>d</sup>. Spice, Hickory Ash &c. Soil good

Met On S. boundary of Sec. 33, T4N. R7E.

18.00 East Fork of White river 200 l. wide Course S.E.

23.70 a Blue Ash 24 in. diam.

40.00 Set q. Sec. post, from which  
a Hickory 15 in. diam. bay N45 W 5 l. dist. of  
a Beech 24 " " " S39 E 4 " "

61.15 a Do 30 " "

80.00 Set post Cor. to Sec. 32 & 33, T4N. R7E, from which  
a Hickory 7 in. diam. bay S69 W 9 l. dist. of  
a Hickory 6 " " " N79 E 12 " "  
Land level, timber Beech, Walnut, Hickory &c.  
underg<sup>d</sup>. Spice, Hickory Ash &c. rich Soil

Met On S. boundary of Sec. 32, T4N. R7E.

19.25 a Hickory 18 in. diam.

40.00 Set q. Sec. post, from which  
a Sugar 21 in. diam. bay N62 E 30 l. dist. of  
a Beech 21 " " " S23 W 21 " "

54.00 a Hickory 21 " "

80.00 Set post Cor. to Sec. 31 & 32, T4N. R7E, from which  
a Beech 9 in. diam. bay S21 W 7 l. dist. of  
a Do. 30 " " " N43 E 29 " "  
Land timber &c. same as on the last mile

# T31 N7 E. 2<sup>d</sup> Mer. Indiana

227

ch. l. h.

West On S. boundary of Sec. 31, T4 N7 E.

23.25 a Beech 22 in. dia.

40.00 let q. Sec. post, from which

a Beech 12 in. dia. - bray 140 E 9 N. dist. of  
a do. 6 " " " N 69 W 16 " "

77.95 Intersected Township Corner

Sand timber &c. same as on the last mile

July 26<sup>th</sup> 1819

West Boundary. var 7<sup>th</sup> 00' E.

North On E. boundary of Sec. 36, T3 N6 E.

40.00 let q. Sec. post, from which

a Hickory 9 in. dia. - bray 124 E 11 N. dist. of  
a Water Beech 6 " " " S 57 E 15 " "

76.88 a Beech 21 " "

80.00 let post Cor. to Sec. 25, 36, T3 N6 E, from which

a Beech 10 in. dia. - bray 153 E 25 N. dist. of  
a do. 12 " " " N 52 W 36 " "

Sand level good soil, timber, Beech, Ash, Sugar  
&c. undug<sup>th</sup> Spice

North On E. boundary of Sec. 25, T3 N6 E.

37.05 an Elm 10 in. dia.

40.00 let q. Sec. post, from which

a Beech 18 in. dia. - bray 145 E 5 N. dist. of  
an Elm 16 " " " N 32 W 19 " "

69.95 a Branch Elm. wide corner N.W.

79.65 a Beech 7 in. dia.

80.00 let post Cor. to Sec. 24, 25, T3 N6 E, from which

a Beech 24 in. dia. - bray 144 E 7 N. dist. of  
a do. 9 " " " S 79 W 16 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T3 N6 E.

33.28 a Beech 28 in. dia.

40.00 let q. Sec. post, from which



T<sup>3</sup>N R7E 2<sup>d</sup> Mer. Indiana  
ch<sup>2</sup>ly.

a Beech 8 m. dist. bray S 81 E 11 lms. dist. of  
a Do. 12 " " " N 82 W 15 " "  
73.66 a Beech 9 " "  
80.00 let post cor. to Sec. 13, T<sup>3</sup>N R6E, from which  
a Beech 20 m. dist. bray N 8 E 24 lms. dist. of  
a Do. 9 " " " N 34 W 16 " "  
Devil land timber Beech, Sugar, Elm &c.  
underg<sup>th</sup>. Spice Soil good

North On E. boundary of Sec. 13, T<sup>3</sup>N R6E.

37.00 a Beech 9 m. dist.

40.00 let q. Sec. post, from which

a Beech 24 m. dist. bray S 24 W 9 lms. dist. of

an Ash 12 " " " S 54 E 17 " "

80.00 let post cor. to Sec. 12, T<sup>3</sup>N R6E, from which

a Boxelder 18 m. dist. bray N 88 E 7 lms. dist. of

an Ash 12 " " " N 28 W 17 " "

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T<sup>3</sup>N R6E.

36.70 an Ash 18 m. dist.

40.00 let q. Sec. post, from which

a Beech 9 m. dist. bray N 39 W 21 lms. dist. of

a Do. 21 " " " S 13 E 23 " "

75.60 a Sugar 18 " "

80.00 let post cor. to Sec. 1, T<sup>3</sup>N R6E, from which

a Beech 27 m. dist. bray N 26 E 10 lms. dist. of

an Ash 15 " " " N 83 W 22 " "

Land timber &c. Same as on last mile

North On East. boundary of Sec. 1, T<sup>3</sup>N R6E

37.68 a Beech 9 m. dist.

40.00 let q. Sec. post, from which

a Beech 7 m. dist. bray N 86 E 3 lms. dist. of

a Do. 12 " " " N 70 W 26 " "

67.00 a Do 15 " "



# T<sup>h</sup> 3<sup>d</sup> N. R. 7 E. 2<sup>d</sup> Mer. Indiana

229

ch. lks

67.75 Set post. Cor. to Township 13 & 14 N. Range  
6 & 7 East, from which  
a Beech 9 in. dia. bears S 25 E 7 lks. dist. &  
a Do. 27 " " " N 45 W 12 " "  
Land timber &c. same as on the last mile

July 26<sup>th</sup> 1819

Surveyed by John M. McDonald, U.S.

## Subdivision.

var. 7° 30' E

North Between Sect. 35 & 36, T<sup>h</sup> 13 N. R. 7 E.

15.09 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which

a Beech 12 in. dia. bears S 67 W 34 lks. dist. &

an Ash 12 " " " S 58 E 25 " "

68.20 a Beech 12 " "

80.00 Set post Cor. to Sect. 25, 26, 35 & 36, from which

a W. Oak 48 in. dia. bears East 2 lks. dist. &

a B. Walnut 12 " " " S 54 E 50 " "

Land 3<sup>d</sup> rate. October 25<sup>th</sup> 1819.

East On Random between Sect. 25 & 36.

9.42 a Beech 16 in. dia.

40.00 Set temp. q. Sec. post.

79.80 Intersected the E. boundary 90 lks. N. of post.

Land 2<sup>d</sup> rate

West Corrected between Sect. 25 & 36.

6.62 an Ash 24 in. dia.

39.90 Set q. Sec. post at average dist. from which

a Beech 24 in. dia. bears N 23 W 37 lks. dist. &

a Do. 11 " " " South 35 " "

79.80 to Section Corner

North Between Sect. 25 & 26

13.50 an Ash 36 in. dia.

40.00 Set q. Sec. post, from which

# T3 N 12 E 2<sup>d</sup> Mer. Indiana

Ch. P. 11<sup>th</sup>

- a Beech 6 in. dia. bears N 35 E 9 lks. dist. &  
 a No. 10 " " " S 35 W 26 " "  
 55.36 an Ash 14 " "  
 80.00 Set post Cor. to Sec. 25, 26, 23 & 24, from which  
 a Beech 14 in. dia. bears N 55 E 11 lks. dist. &  
 a No. 10 " " " S 75 W 10 " "  
 Land 2<sup>d</sup> rate timber Beech, Ash, Sugar, Maple,  
 Oak, & Butternut—
- 
- East On Random between Sec. 24 & 25  
 17.55 a Beech 24 in. dia.  
 40.00 Set temp. of. Sec. post.  
 79.28 Intersected the East boundary 20 lks. N. of post.  
 Land same undergrowth Spice principally Ash Greenbrier
- 

- West Connected between Sec. 24 & 25  
 19.69 a Poplar 30 in. dia.  
 39.64 Set of. Sec. post at. average dist. from which  
 a Beech 12 in. dia. bears N 16 E 8 lks. dist. &  
 a No. 24 " " " S 15 W 32 " "  
 79.28 to Section Corner
- 

- North Between Sec. 23 & 24  
 17.72 a Beech 24 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 12 in. dia. bears N 48 W 17 lks. dist. &  
 a No. 12 " " " S 75 E 32 " "  
 62.26 a No. 10 " "  
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Beech 6 in. dia. bears N 77 W 7 lks. dist. &  
 a No. 24 " " " N 81 E 19 " "  
 Land 2<sup>d</sup> rate timber Beech Ash Oak Maple &c.  
 undergrowth Spice &c.
- 

- East On Random between Sec. 13 & 24.  
 8.00 a Beech 24 in. dia.

# 231

## T3 N 27 E 2<sup>nd</sup> Mer. Indiana

ch. l. h.

40.00 Set temp<sup>y</sup>. of Sec. post.

79.00 Intersected the E. boundary 20 lvs. N. of post.  
Land timber &c. same as last mile

West Corrected between Sec<sup>s</sup>. 13 & 14.

14.65 a B. Oak 60 in. dia.

39.50 Set of Sec. post. at average dist. from which  
a Beech 20 in. dia. bears N 33 W 7 lvs. dist. &  
a W. Oak 20 " " " S 65 E 17 " "

79.00 to Section Corner

North Between Sec<sup>s</sup>. 13 & 14

13.48 a Beech 12 in. dia.

35.57 a Stream 50 lvs. wide Course S. W.

40.00 Set of Sec. post. from which  
a Beech 20 in. dia. bears N 10 E 7 lvs. dist. &  
a W. 18 " " " S 40 W 44 " "

62.16 a W. 14 " "

80.00 Set post Corner to Sec<sup>s</sup>. 11, 12, 13 & 14, from which  
an Ash 5 in. dia. bears N 52 W 9 lvs. dist. &  
a W. 12 " " " S 16 E 20 " "  
Land 2<sup>nd</sup> rate. Oct. 26<sup>th</sup> 1819.

East On Random between Sec<sup>s</sup>. 12 & 13.

9.96 a Beech 12 in. dia.

40.00 Set temp<sup>y</sup>. of Sec. post.

42.00 a Stream 50 lvs. wide Course S. W.

59.00 a W. 50 " " " S. W.

62.00 a W. 50 " " " S. W.

78.35 Intersected the E. boundary 20 lvs. N. of post.  
Land 2<sup>nd</sup> rate -

West Corrected between Sec<sup>s</sup>. 12 & 13.

6.64 a Sycamore 60 in. dia.

39.15 Set of Sec. post. at average dist. from which  
a Hackberry 14 in. dia. bears N 6 W 17 lvs. dist. &

232

# T43 N R7 E 2<sup>n</sup>. Mer. Indiana

Ch. P. 1849

an Ash 8 in. dia. bears S 12 E 17 lbs. dist. 1  
78.35 to Section Corner

North Between Secs. 11 & 12.

6.04 a Sugar 10 in. dia.

40.00 Set of Sec. post, from which

a B. Oak 10 in. dia. bears N 52 E 17 lbs. dist. &

a Linn 8 " " " S 52 N 3 " "

52.07 an Ash 24 " "

80.00 Set post Cor. to Secs. 1, 2, 11 & 12, from which

a Hickory 10 in. dia. bears N 69 W 32 lbs. dist. &

an Ash 12 " " " N 72 E 14 " "

Land 2<sup>d</sup> rate timber as above undergrowth hickory, spice

East On Pradon between Secs. 1 & 12.

7.68 a Beech 10 in. dia.

40.00 Set temp. of Sec. post.

78.00 Intersected the E. boundary 10 lbs. N. of post.

Land 2<sup>d</sup> rate timber Beech, Ash, Elm, Maple,  
Sugar, Oak &c.

West Corrected between Secs. 1 & 12.

3.47 a Beech 12 in. dia.

39.00 Set of Sec. post, at average dist. from which

a Beech 2 1/4 in. dia. bears N 66 E 18 lbs. dist. &

a W. 12 " " " S 15 N 23 " "

78.00 to Section Corner

North Between Secs. 1 & 2.

21.40 a Beech 30 in. dia.

40.00 Set of Sec. post, from which

an Ash 14 in. dia. bears S 50 W 33 lbs. dist. &

a W. 6 " " " N 70 E 10 " "

61.20 a Beech 14 " "

65.85 Intersected the N. boundary 3.70 lbs. E. of post

Set post Cor. to Section 1 & 2, from which



# 233

## T3 N 17 E 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2

a Sugar 6 in. dia. bears N 51 E 15 lbs. dist. &  
 a Buckeye 6 " " " S 60 W 18 " "  
 Land 2<sup>nd</sup> rate.

North Between Secs. 34 & 35

12.65 a Beech 14 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 12 in. dia. bears S 74 E 22 lbs. dist. &  
 a No. 10 " " " N 21 W 17 " "  
 49.50 a No. 14 " "  
 80.00 Set post cor. to Secs. 26, 27, 34 & 35, from which  
 a Beech 5 in. dia. bears S 87 E 7 lbs. dist. &  
 a No. 14 " " " N 88 W 27 " "  
 Land 2<sup>nd</sup> rate timber as above.

East On Random between Secs. 26 & 35.

9.50 an Ash 12 in. dia.  
 40.00 Set temp. of Sec. post.  
 80.95 Intersected the N. & S. line 30 lbs. S. of post.  
 Land 2<sup>nd</sup> rate timber beech Poplar Ash Elm Oak  
 Sugar &c.

West Corrected between Secs. 26 & 35

9.41 an Elm 12 in. dia.  
 40.47 Set of Sec. post at average dist. from which  
 a Beech 8 in. dia. bears S 30 W 20 lbs. dist. &  
 a No. 14 " " " S 82 E 20 " "  
 80.95 to Section Corner

North Between Secs. 26 & 27.

13.32 a Beech 36 in. dia.  
 18.00 a Stream 50 lbs. wide Course S. W.  
 21.00 a No. 50 " " " S. W.  
 26.75 a No. 50 " " " S. W.  
 40.00 Set of Sec. post, from which  
 a Beech 6 in. dia. bears N 72 W 4 lbs. dist. &



234

S 13 N R 7 E. 2<sup>d</sup> Mer. IndianaCh. 1<sup>st</sup> 1/4

- a Beech 10 in. dia. bears N 45 E 16 lbs. dist. 4  
 50.60 a Do. 20 "  
 90.00 Set post cor. to Secs. 22, 23, 26, 27. from which  
 a Buckeye 6 in. dia. bears S 10 E 23 lbs. dist. 4  
 a Do. 12 " " " N 16 E 22 " "  
 (Description Omitted)

East On Random between Secs. 23 &amp; 26

- 17.50 a Stream 50 lbs. wide Course N. W.  
 33.89 an Ash 30 in. dia.  
 40.00 Set temp. q. Sec. post.  
 81.00 Intersected the N. & S. line 5 lbs. S. of post.  
 Land 2<sup>d</sup> rate

West Corrected between Secs. 23 &amp; 26.

- 12.25 an Ash 18 in. dia.  
 40.50 Set q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears S 3 E 8 lbs. dist. 4  
 a Sugar 14 " " " N 46 W 24 " "  
 81.00 to Section Corner

North Between Secs. 22 &amp; 23

- 12.00 a W. Oak 72 in. dia.  
 40.00 Set q. Sec. post, from which  
 an Ash 30 in. dia. bears S 71 W 8 lbs. dist. 4  
 a Do. 14 " " " N 84 E 22 " "  
 59.71 a Beech 12 "  
 80.00 Set post cor. to Secs. 22, 23, 14, & 15, from which  
 an Ash 3 in. dia. bears N 37 W 12 lbs. dist. 4  
 a Do. 2 " " " N 77 E 21 " "  
 Land 2<sup>d</sup> rate timber Ash Sugar, Oak, Beech,  
 Elm &c.

East On Random between Secs. 14 &amp; 23.

- 13.47 a Beech 12 in. dia.  
 40.00 Set temp. q. Sec. post.

# S. 3. N. 127 E. 2<sup>nd</sup> Mer. Indiana

235

Ch. P. 1819

75.75 a stream 50 lks. wide Course N. W.  
81.50 Intersected the N. & S. line 39 lks. S. of post.  
(Description Omitted). Oct. 27<sup>th</sup> 1819.

West Corrected between Sec. 14 & 23.

8.63 a Beech 20 in. dia. bears  
40.75 Set of Sec. post. at average dist. from which  
a Ash 14 in. dia. bears S 24 E 12 lks. dist. &  
a Beech 12 " " " N 14 E 15 " "  
81.50 to Section Corner

North Between Sec. 14 & 15

22.00 an Ash 12 in. dia.  
40.00 Set of Sec. post. from which  
a Beech 13 in. dia. bears S 20 W 21 lks. dist. &  
a " 20 " " " N 16 E 17 " "  
54.42 a B. Oak 20 " "  
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a \_\_\_\_\_ 10 in. dia. bears S 31 E 14 lks. dist. &  
a Sugar 11 " " " N 18 W 14 " "  
(Description Omitted)

East On Random between Sec. 11 & 14

9.33 a Beech 18 in. dia.  
40.00 Set temp. of Sec. post.  
82.00 Intersected the N. & S. line 50 lks. S. of post.  
Land 2<sup>nd</sup> rate

West Corrected between Sec. 11 & 14

7.95 a Beech 14 in. dia.  
41.00 Set of Sec. post. from which  
a Beech 10 in. dia. bears N 6 E 4 lks. dist. &  
an Ash 34 " " " S 71 W 10 " "  
82.00 to Section Corner

North Between Sec. 10 & 11

236

T3 N7 E. 2<sup>n</sup> Mer. Indiana

ch 16 1/2

- 8.14 a Beech 20 in. dia.  
 40.00 Set of Sec. post, from which  
 a Walnut 4 in. dia. bears S 85 E 23 lbs. dist. &  
 a Beech 5 " " " S 60 W 19 " "  
 55.67 a Beech 14 " "  
 80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which  
 a Beech 10 in. dia. bears N 21 E 23 lbs. dist. &  
 a No. 4 " " " S 5 E 25 " "  
 (Description of Land res. Omitted.)

East On Random between Secs. 2 &amp; 11.

- 10.25 a Beech 13 in. dia.  
 40.00 Set temp. of Sec. post.  
 82.00 Intersected the N. & S. line. 25 lbs. N. of post.  
 Land 2<sup>d</sup> rate timber as above.

West Corrected between Secs. 2 &amp; 11

- 5.24 a Beech 10 in. dia.  
 41.00 Set of Sec. post at average dist. from which  
 a Beech 8 in. dia. bears North 7 lbs. dist. &  
 an Ash 3 " " " S 29 E 8 " "  
 82.00 to Section Corner

North Between Secs. 2 &amp; 3.

- 13.75 a Beech 14 in. dia.  
 40.00 Set of Sec. post. from which  
 an Ash 10 in. dia. bears N 20 W 11 lbs. dist. &  
 a No. 14 " " " S 38 E 15 " "  
 57.85 an Elm 10 " "  
 66.50 Intersected the N. boundary 1.23 lbs. East of post.  
 Set a post Cor. to Secs. 2 & 3, from which  
 a Sycamore 10 in. dia. bears S 43 W 2 lbs. dist. &  
 an Elm 4 " " " North 7 " "  
 (Description of Land res. Omitted.)

North Between Secs. 33 &amp; 34.

# 237

## T3T R7E, 2<sup>d</sup> Mer. Indiana

Ch. M.

- 19.57 a Beech 12 in. dia.  
 40.00 Set of Sec. post. from which  
 a Beech 14 in. dia. bears N37W19 lbs. dist. &  
 an Ash 18 " " " S31E29 " "  
 62.00 a Stream 50 lbs. wide Course S.W.  
 64.00 an Ash 14 in. dia.  
 80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which  
 a Beech 8 in. dia. bears N58W16 lbs. dist. &  
 a Sugar 12 " " " S45E18 " "  
 (Description of Land &c. Omitted)

East On Pradon between Secs. 27 & 34

- 10.20 a W. Oak 10 in. dia.  
 10.50 a Stream 50 lbs. wide Course S.W.  
 20.00 a No. 50 " " " S.W.  
 25.25 a No. 50 " " " " "  
 28.50 a No. 50 " " " " "  
 31.00 a No. 50 " " " " "  
 37.00 a No. 50 " " " " "  
 39.50 a No. 50 " " " " "  
 40.00 Set temp. of Sec. post.  
 73.00 a Stream 50 lbs. wide Course S.W.  
 80.00 Intersected the N. & S. line 68 lbs. N. of post.  
 Description of Land &c. Omitted

West Corrected between Secs. 27 & 34

- 6.77 a B. Oak 36 in. dia.  
 40.00 Set of Sec. post. at average dist. from which  
 a Willow 6 in. dia. bears North 42 lbs. dist. &  
 an Elm 10 " " " S69E80 " "  
 80.00 to Section Corner

North Between Secs. 27 & 28.

- 12.44 a Beech 14 in. dia.  
 40.00 Set of Sec. post. from which  
 an Elm 36 in. dia. bears N39E5 lbs. dist. &c



## T3 N R7 E. T. Mer. Indiana

Ch. 1<sup>st</sup> m.

- an Elm 24 in. dia. bears S 31 W 9 lbs. dist.  
 50.00 an Ash 14 " "  
 80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which  
 a Hickory 10 in. dia. bears N 84 E 21 lbs. dist. &  
 a Do. 10 " " " N 55 W 15 " "  
 Land 2<sup>nd</sup> rate timber as before, Oct. 28.<sup>th</sup> 1819.

East On Rand<sup>m</sup>. between Secs. 22 & 27

- 6.62 an Elm 14 in. dia.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.15 Intersected the N of S. line 30 lbs. S. of post  
 Land timber &c. same as on the last mile

West Cornetted between Secs. 22 &amp; 27

- 6.67 a Beech 14 in. dia.  
 40.07 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 20 in. dia. bears N 75 W 25 lbs. dist. &  
 a Do. 14 " " " N 41 E 13 " "  
 80.15 to Sec. Corner.

North Between Secs. 21 &amp; 22

- 10.30 a Beech 14 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Maple 24 in. dia. bears N 53 W 20 lbs. dist. &  
 an Ash 12 " " " N 18 E 23 " "  
 56.38 an Ash 18 " "  
 80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which  
 an Ash 18 in. dia. bears N 8 E 29 lbs. dist. &  
 a Do. 24 " " " N 59 W 19 " "  
 Land 3<sup>rd</sup> rate Swampy, timber as before

East On Rand<sup>m</sup>. between Secs. 15 & 22

- 11.56 a Beech 14 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, temporarily  
 80.18 Intersected the N of S. line 25 lbs. S. of post  
 Land timber &c. same as on the last mile



# 239

## Post R. E. 2<sup>d</sup> Mer. Indiana

Ch. 1<sup>st</sup>

West Corrected between Sec. 15 & 22.  
 16.78 a Beech 12 in. dia.  
 40.09 Set q. Sec. post. at average dist. from which  
 81.15 a Maple 21 in. dia. bears N 77 E 7 lks. dist. &  
 an Ash 24 " " " S 58 W 32 " "  
 80.18 to Section Corner

North Between Sec. 15 & 16.

20.00 a Stream 20 lks. wide Course N.  
 24.50 a Beech 18 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Sugar 24 in. dia. bears N 80 W 82 lks. dist. &  
 a Beech 12 " " " N 55 E 24 " "  
 57.30 a Sugar 12 " "  
 80.00 Set post Cor. to Sec. 15, 16, 9 & 10, from which  
 a Beech 20 in. dia. bears N 59 W 11 lks. dist. &  
 a Sugar 12 " " " S 54 E 27 " "  
 Land 2<sup>d</sup> rate.

East On Random between Sec. 10 & 15

10.00 a Beech 12 in. dia.  
 40.00 Set Temp. q. Sec. post.  
 81.15 Intersected the N. & S. line 30 lks. South of post.  
 Land R. rate timber Beech Walnut Ash Poplar  
 Buckeye &c. undergrowth Spice &c.

West Corrected between Sec. 10 & 15

5.08 a Beech 24 in. dia.  
 40.57 Set q. Sec. post. at average dist. from which  
 a Beech 20 in. dia. bears N 85 E 5 lks. dist. &  
 a No. 24 " " " S 75 W 35 " "  
 81.15 to Section Corner

North Between Sec. 9 & 10

8.00 an Elm 36 in. dia.  
 40.00 Set q. Sec. post. from which

240 T3. N7E. 2. Mer. Indiana  
ch. 6m

a Beech 10 in. dia. bears S 84 E 12 lbs. dist. 4  
a No. 14 " " " S 73 W 16 " "  
49.12 a No. 20 " "  
80.00 Set post Cor. to Sect. 3, 4, 9, & 10, from which  
a Beech 12 in. dia. bears N 49 E 8 lbs. dist. 4  
a No. 24 " " " S 24 W 25 " "  
Land 2<sup>d</sup> rate timber as before undergrowth  
Spice Ash &c.

East On Random between Sect. 3 & 10  
5.67 a Beech 24 in. dia.  
40.00 Set temp. q. Sec. post.  
80.20 Intersected the N. & S. line 15 lbs. N. of post.  
Land 2<sup>d</sup> rate - timber Beech Ash Poplar Sugar  
Oak Elm &c.

West Corrected between Sect. 3 & 10  
6.19 an Ash 4 in. dia.  
40.10 Set q. Sec. post. at average dist. from which  
a Beech 10 in. dia. bears S 60 W 9 lbs. dist. 4  
a No. 4 " " " N 75 E 15 " "  
80.20 To Section Corner

North Between Sect. 3 & 4  
14.11 a Beech 20 in. dia.  
40.00 Set q. Sec. post. from which  
a Beech 12 in. dia. bears S 34 W 4 lbs. dist. 4  
a Hickory 3 " " " N 45 E 19 " "  
56.55 an Elm 12 " "  
66.20 Intersected the N. boundary 10 lbs. E. of post.  
Set post Cor. to Sect. 3 & 4, from which  
an Ash 12 in. dia. bears N 53 E 23 lbs. dist. 4  
a Buckeye 17 " " " S 48 W 12 " "  
(Description of Land &c. Omitted) Oct. 29<sup>th</sup> 1819.

North Between Sect. 32 & 33.

# 241

## T3T R7E, 2<sup>d</sup> Mer. Indiana

ch. lks

- 10.20 a Buckeye 14 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 12 in. dia. bears S56 E 23 lks. dist. &  
 a No. 14 " " S38 W13 " "  
 61.75 an Ash 12 " "  
 71.50 a Stream 1.00 lks. wide Course S. W. from ...  
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which  
 a Hickory 10 in. dia. bears N69 E 55 lks. dist. &  
 a Sycamore 8 " " N62 E2 " "  
 (Description of Land &c. Omitted)

East On Pradom between Sect. 28 & 33.

- 9.00 a Beech 12 in. dia.  
 40.00 Set temp. of Sec. post.  
 80.20 Intersected the N. & S. line 10 lks. S. of post.  
 Land 2<sup>d</sup> rate timber Beech Ash Sugar Oak  
 Maple Elm Poplar &c.

West Corrected between Sect. 28 & 33

- 16.55 a Poplar 36 in. dia.  
 40.10 Set of Sec. post, at average dist. from which  
 a Hickory 14 in. dia. bears N63 W14 lks. dist. &  
 a Beech 10 " " S45 E 19 " "  
 80.20 to Section Corner

North Between Sect. 28 & 29.

- 13.00 a Stream 1.00 lks. wide Course S.  
 22.50 a No. 1.00 " " S.  
 31.54 a Hickory 14 in. dia.  
 40.00 Set of Sec. post, from which  
 a Buckeye 12 in. dia. bears N84 E 9 lks. dist. &  
 a Hickory 10 " " N87 W13 " "  
 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which  
 a Hackberry 10 in. dia. bears S49 E 11 lks. dist. &  
 a Buckeye 10 " " N67 W36 " "  
 (Description of Land &c. Omitted)

T3 N 7 E 2<sup>d</sup> Mer. Indiana

ch. lks

East On Random between Sec. 21 &amp; 28

7.00 a Sycamore 72 in. dia.

18.25 a Stream 1.00 lks. wide Course S. E.

40.00 Set temp. g. Sec. post.

80.22 Intersected the N. & S. line 25 lks. S. of post.  
(Description of Land &c. Omitted)

West Corrected between Sec. 21 &amp; 28.

4.06 an Ash 12 in. dia.

40.11 Set g. Sec. post. at average dist. from which  
an Ash 12 in. dia. bears N 2 W 11 lks. dist. &  
a W. Oak 10 " " " S 21 E 18 " "

80.22 to Section Corner.

North Between Sec. 20 &amp; 21.

18.54 a Beech 42 in. dia.

20.01 Same Stream Course S. E.

40.00 Set g. Sec. post. from which  
a Beech 2 in. dia. bears N 37 W 11 lks. dist. &  
a W. 8 " " " S 32 W 12 " "

59.73 a Beech 20 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21 from which  
a Beech 12 in. dia. bears N 37 W 20 lks. dist. &  
a W. 8 " " " S 32 W 12 " "  
Land v. rate. Blue rock Bottom.

East On Random between Sec. 16 &amp; 21.

10.24 a Beech 10 in. dia.

40.00 Set temp. g. Sec. post.

43.50 a Stream 15 lks. wide. Course N. W.

80.24 Intersected the N. & S. line 50 lks. S. of post.  
Land 2<sup>d</sup> rate.

West Corrected between Sec. 16 &amp; 21.

3.27 an Ash 36 in. dia.

40.12 Set g. Sec. post. at average dist. from which



# 243

## T3 St N7 E. 2. Mer. Indiana

ch. lky  
 a Beech 14 in. dia. bears N 58 E 16 lbs. dist. 4  
 a Hickory 10 " " " S 65 W 13. " "  
 80.24 to Section Corner

North Between Sec. 16 & 17.

17.00 a Hickory 10 in. dia.

40.00 Set of Sec. post. from which  
 a Buckeye 5 in. dia. bears N 35 W 17 lbs. dist. 4  
 a Walnut 12 " " " S 20 E 22. " "

55.50 a Beech 15 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Sycamore 36 in. dia. bears N 27 E 22 lbs. dist. 4  
 a No. 48 " " " S 4 W 36 " "  
 Land v. rate timber Walnut, Sugar, &c.

East On Prandom between Sec. 9 & 16.

5.30 a Beech 18 in. dia.

40.00 Set temp. of Sec. post.

80.10 Intersected the N. & S. line 30 lbs. N. of post  
 Land v. rate timber Beech Ash Sugar Oak &c.  
 Undergrowth Spice -

West Corrected between Sec. 9 & 16.

7.07 a Beech 12 in. dia.

40.05 Set of Sec. post. at average dist. from which  
 an Ash 14 in. dia. bears N 24 W 3 lbs. dist. 4  
 a Beech 10 " " " S 35 W 14 " "

80.10 to Section Corner. Oct. 30. 1819.

North Between Sec. 8 & 9.

6.50 a Stream 1.00 lbs. wide Course N. W.

12.00 a No. 1.00 " " " N. W.

19.68 a Buckeye 12 in. dia.

40.00 Set of Sec. post. from which  
 an Ash 16 in. dia. bears S 37 E 19 lbs. dist. 4  
 an Elm 8 " " " N 69 W 6 " "



244

S 13<sup>th</sup> R 2 E. 2<sup>d</sup>. Mer. Indianach. P. 1<sup>st</sup>

- 54.94 a Hackberry 16 in. dia.  
 70.00 the Same Stream 1.00 lbs. wide Course N. W.  
 80.00 Set post Cor. to Sec. 4 & 5, 8 & 9, from which  
 a W. Oak 10 in. dia. bears N 44 W 11 lbs. dist. &  
 a Hackberry 12 " " " S 38 E 3 " "  
 (Description of Land &c. Omitted)

East On Random between Sec. 4 &amp; 9

- 2.50 a Stream 1.00 lbs. wide Course S. W.  
 4.25 a Sycamore 24 in. dia.  
 40.00 Set Temp. of Sec. post.  
 80.25 Intersected the N. & S. line 25 lbs. S. of post.  
 Land 1<sup>st</sup> rate timber as before

West Corrected between Sec. 4 &amp; 9.

- 5.90 a Beech 12 in. dia.  
 40.12 Set of Sec. post, at average dist. from which  
 a Beech 20 in. dia. bears N 58 W 18 lbs. dist. &  
 a W. 14 " " " S 30 E 28 " "  
 80.25 to Section Corner

North Between Sec. 5 &amp; 4

- 23.70 an Ash 6 in. dia.  
 40.00 Set of Sec. post, from which  
 a Hornbeam 8 in. dia. bears N 76 W 6 lbs. dist. &  
 a Hickory 2 " " " S 9 E 13 " "  
 55.53 a Beech 20 " "  
 66.60 Intersected the N. boundary 1.90 lbs. W. of post  
 Set post Cor. to Sec. 4 & 5, from which  
 a Hackberry 24 in. dia. bears N 50 W 2 lbs. dist. &  
 a Beech 6 " " " S 20 E 19 " "  
 (Description of Land &c. Omitted)

North Between Sec. 31 &amp; 32.

- 18.00 a Stream 1.00 lbs. wide Course S. W.  
 23.12 a Buckeye 12 in. dia.

# 245

## T3 N 27 E. 2<sup>d</sup> Mer. Indiana

Ch 247

40.00 Set qf. Sec. post. from which  
a Sugar 14 in. dia. bears N 74 W 19 lbs. dist. 4  
a Beech 14 " " " N 67 E 23 " "

59.92 attackberry 15 " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which  
a Beech 10 in. dia. bears N 46 W 17 lbs. dist. 4  
a Buckeye 8 " " " S 13 E 8 " "  
Land 1<sup>st</sup> rate.

East On Random between Secs. 29 & 32.

10.75 a W. Oak 36 in. dia. bears

40.00 Set temp. qf. Sec. post.

80.20 Intersected the N. & S. line 20 lbs. N. of post.  
Land River bottom 1<sup>st</sup> rate timber Beech, Ash,  
Syc, Sugar, Walnut, Buckeye &c.

West Corrected between Secs. 29 & 32.

12.56 a Sugar 14 in. dia.

40.10 Set qf. Sec. post. at average dist. from which  
an Ash 5 in. dia. bears N 52 W 27 lbs. dist. 4  
attackberry 12 " " " S 50 E 24 " "

80.20 to Section Corner

West Between Secs. 30 & 31

12.40 a Beech 30 in. dia.

40.00 Set qf. Sec. post. from which  
a Beech 6 in. dia. bears N 42 W 2 lbs. dist. 4  
a No. 24 " " " S 42 E 5 " "

77.00 Intersected the W. boundary 27 lbs. N. of post.  
Set post Cor. to Secs. 30 & 31, from which  
a Beech 8 in. dia. bears N 6 E 7 lbs. dist. 4  
a No. 14 " " " S 87 E 19 " "  
Land 2<sup>d</sup> rate timber Beech, Ash, Oak, &c.

North Between Secs. 29 & 30.

9.95 a Sugar 20 in. dia.

246

T3 N R7 E. 2<sup>d</sup>. Mer. Ind<sup>a</sup>

ch. lks

40.00 Set q. Sec. post, from which  
 a Beech 10 in. dia. bears N20 W2 lks. dist. &  
 a No. 12 " " " S 7 E 29 " "

53.56 a No. 30 " "

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which  
 a Beech 10 in. dia. bears N47 W8 lks. dist. &  
 a No. 13 " " " S 9 E 29 " "  
 Land 2<sup>d</sup>. rate

East On Randome between Sect. 20 &amp; 29

8.37 a Beech 24 in. dia.

40.00 Set temp. q. Sec. post.

80.10 Intersected the N. & S. line 20 lks. N. of post.  
 Land river bottom first rate timber as  
 before. Oct. 31<sup>st</sup>. 1819.

West Corrected between Sect. 20 &amp; 29.

5.50 a Hackberry 18 in. dia.

40.05 Set q. Sec. post, at average dist. from which  
 a Buckeye 14 in. dia. bears N46 W3 lks. dist. &  
 a Hornbeam 4 " " " S 89 W 11 " "

80.10 to Section Corner

West Between Sect. 19 &amp; 30.

14.50 an Ash 18 in. dia.

40.00 Set q. Sec. post. from which  
 a Beech 3 in. dia. bears S 85 W 10 lks. dist. &  
 a No. 12 " " " N 89 E 15 " "

57.22 a No. 13 " "

77.20 Intersected the W. boundary 68 lks. N. of post.  
 Set post Cor. to Sect. 19 & 30, from which  
 an Ash 10 in. dia. bears N 70 E 20 lks. dist. &  
 a Beech 14 " " " S 80 W 13 " "  
 Land 2<sup>d</sup>. rate

North Between Sect. 19 &amp; 20

# 247

## S 13 N R 7 E 2<sup>d</sup>. Mer. Indiana

Ch<sup>2</sup> L<sup>1</sup> 7

- 18.84 a Beech 30 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post. from which  
 a Lynn 30 in. dia. bears South 31 lbs. dist. &  
 a Beech 20 " " " S 64 W 26 " "  
 49.50 a Hickory 14 " "  
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which  
 a Beech 12 in. dia. bears N 62 E 25 lbs. dist. &  
 an Ash 14 " " " S 60 W 3 " "  
 Land 2<sup>d</sup>. rate timber as before

East On Prandom between Secs. 17 & 20

- 10.69 a Beech 20 in. dia.  
 37.50 a Stream 1.25 lbs. wide Course S. W.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
 80.00 Intersected the N. & S. line 20 lbs. N. of post.  
 River Bottom first. rate Land

West Corrected between Secs. 17 & 20

- 5.30 a Sugar 20 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post. at average dist. from which  
 an Ash 10 in. dia. bears S 79 E 14 lbs. dist. &  
 a Buckeye 8 " " " N 34 W 10 " "  
 80.00 to Section Corner

West Between Secs. 18 & 19.

- 13.57 a Sugar 12 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post. from which  
 a Beech 6 in. dia. bears N 25 W 11 lbs. dist. &  
 a No. 16 " " " S 65 E 5 " "  
 77.00 Intersected the W. boundary 200 lbs. N. of post.  
 Set post Cor. to Secs. 18 & 19, from which  
 a Beech 14 in. dia. bears S 25 W 15 lbs. dist. &  
 a No. 12 " " " S 3 W 6 " "  
 Land 2<sup>d</sup>. rate timber as before

North Between Secs. 17 & 18.



248

S. B. N. R. E. D. Mer. Indiana  
ch. 1. 1877

12. 64 an Elm 48 in. dia.

40. 00 Set of Sec. post. from which  
an Ash 20 in. dia. bears S 37 E 16 lbs. dist. 4  
a No. 13 " " " N 12 E 35 " "

61. 13 a Beech 10 " "

80. 00 Set post corner. to Sec. 7. 8. 17 & 18, from which  
a Hickory 6 in. dia. bears N 52 E 9 lbs. dist. 4  
an Ash 14 " " " S 39 W 19 " "  
Land 2<sup>d</sup> rate timber as before

East On Random between Sec. 8 &amp; 17.

5. 10 a Beech 14 in. dia.

40. 00 Set temp. of Sec. post.

76. 20 a Stream 100 lbs. wide. Course South

80. 20 Intersected the N. & S. line 20 lbs. N. of post.  
Land first. rate.

West Corrected between Sec. 8 &amp; 17

30. 20 a Buckeye 14 in. dia.

40. 10 Set of Sec. post. at averaged dist. from which  
a Beech 10 in. dia. bears N 25 E 42 lbs. dist. 4  
a Buckeye 8 " " " S 37 W 18 " "

80. 20 to Section Corner

West Between Sec. 7 &amp; 18

12. 50 a Beech 14 in. dia.

40. 00 Set of Sec. post. from which  
an Ash 14 in. dia. bears N 1 W 35 lbs. dist. 4  
a No. 13 " " " S 31 W 27 " "76. 98 Intersected the W. boundary 50 lbs. N. of post.  
Set post cor. to Sec. 7 & 18, from which  
a Beech 12 in. dia. bears S 10 W 18 lbs. dist. 4  
a No. 13 " " " N 42 W 9 " "Land 2<sup>d</sup> rate timber Beech Ash Sugar &c.  
Undergrowth Spice &c.

# 249

## T3 E. 2<sup>d</sup>. Mer. Indiana

ch. lky

North Between Sec. 7 & 8.

15.64 a Beech 14 in. dia.

40.00 Set q. Sec. post. from which which  
a Spruce 12 in. dia. bears N 69 E 15 lks. dist. &  
a Beech 12 " " " N 80 W 16 " "

56.43 a Poplar 48 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Maple 12 in. dia. bears N 40 W 11 lks. dist. &  
a No. 10 " " " S 14 E 21 " "  
Land 2<sup>nd</sup> rate

East On Prandom between Sec. 5 & 8

8.46 an Ash 10 in. dia.

40.00 Set q. Sec. post. temporarily

80.10 intersected the N. & S. line 25 lks. N. of post.  
Land 2<sup>nd</sup> rate timber as before undergrowth  
Aspen Spruce &c. Nov. 1<sup>st</sup> 1819.

West Corrected between Sec. 5 & 8

6.31 a Buckeye 12 in. dia.

40.05 Set q. Sec. post. at average dist. from which  
a Beech 14 in. dia. bears S 12 W 28 lks. dist. &  
a No. 20 " " " N 31 W 5 " "

80.10 to Section Corner

West Between Sec. 6 & 7.

21.04 an Ash 10 in. dia.

40.00 Set q. Sec. post. from which  
a W. Oak 18 in. dia. bears S 69 W 20 lks. dist. &  
an Ash 4 " " " S 80 E 16 " "

47.25 a No. 14 " "

76.75 Intersected the W. boundary 1.05 lks. N. of post.  
Set post Cor. to Sec. 6 & 7. from which  
a Beech 12 in. dia. bears N 64 W 8 lks. dist. &  
a No. 3 " " " S 3 W 15 " "  
Land 2<sup>nd</sup> rate timber Beech Sugar Oak &c.

N 3 N R 7 E. 2<sup>d</sup> Mer. Indiana  
ch. 14<sub>2</sub>

North Between Sect. 5 & 6.

28.30 a Beech 18 in. dia.

40.00 Set of Sec. post, from which  
an Ash 8 in. dia. bears N 3 N 30 E. dist. 4  
a No. 3 " " " S 3 N 15 " "

56.10 a Beech 14 " "

66.75 Intersected the N. boundary 2.70 E. N. of post.  
Set post Cor. to Sect. 5 & 6, from which  
a Beech 24 in. dia. bears S 38 E 19 E. dist. 4  
a No. 12 " " " S 77 N 12 " "

Land 2<sup>d</sup> rate - Nov. 1<sup>st</sup> 1819

Surveyed By W. B. Laughlin,  
Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes  
of Township N. 13 North, Range N. 7 East 2<sup>d</sup> Meridian  
Indiana, has been compared with the original notes  
in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Oct. 4. 1842

William Johnston  
Sur. Genl.